

for Palram Polycarbonate Products

Update: August 2016

# [Page 1 of 7]

# This document covers safety data concerning the following products:

PALSUN® BASIC SERIES PALSUN® UV SERIES PALSUN® SPECIALTY SHEET SERIES PALSUN CS® PALGARD™ SUNTUF® SUNTUF® PLUS **SUNSKY®** SUNOPAK™ **DYNAGLAS®** SUNLITE® SUNLITE® PLUS THERMAGLAS® SUNPAL® SUNGLAZE™ PALTILE™ SUNTOP® SUNSPHERE™ EDGELOCK™ CHAIR-MAT

# Palram Industries Ltd.

Ramat Yohanan 30035, Israel Tel: +972.4.8459.900 Fax: +972.4.8444.012 E-mail: palram@palram.com Web: www.palram.com

# Compliance with EU Regulation 1907/2006 (REACH)

The sheets manufactured by Palram are exempted from the requirement of the REACH regulation to provide customers with a Safety Data Sheet (EU No. 1907/2006, article 31) since they are defined as "articles." The information herein is provided by Palram as courtesy to its customers and a part of its service efforts. The sheets do not contain any substances on the candidate list for inclusion in Annex XIV of REACH above the threshold level of 0.1% by weight of the article.

### 1. Identification of the article and the company

### 1.1. Identification of the article

Trade Names	:	PALTUF®, PALSUN®, PALSUN® FR, PALGARD™, SUNTUF®, SunSky®, SUNOPAK™,
		DYNAGLAS®, SUNLITE®, Thermaglas®, SUNPAL®, SUNGLAZE™, PALTILE™,
		SUNTOP®, SUNSPHERE™, EdgeLock™, Chair-Mat.
Product Name	:	Solid and Foamed Polycarbonate sheets
Product Name	:	Polycarbonate Homopolymer
CAS Number	:	25307-45-0
UN Number	:	None
ACX Number	:	X1017917-2
RTECS	:	Not listed
Material Synonyms	:	PC
NFPA Ratings	:	Health=0, Fire=1, Reactivity=0

### 1.2. Company Identification & Contact

Israel - Palram PVC	UK - Palram Polycarb	Americas - Palram 2000
Address: Ramat Yohanan, 30035, ISRAEL Tel: +972 4 8459 900 Fax: +972 4 8444 012	Address: Unit 2, Doncaster Carr Industrial Estate, White Rose Way Doncaster DN4 5JH, UK Tel: +44 1302 380738 Fax: +44 1302 380739	Address: 9735 Commerce Circle Kutztown, PA 19530, USA Tel: +610-285-9928 Fax: +484-647-8210

#### Local: Call your nearest poison control center.

### 2. Composition / Information of Ingredients

Main polymer: Polycarbonate – approximately 100 wt%.

Pigments and additives used to enhance specific properties are encapsulated in the polymer resin matter.

No cadmium, or other heavy metals based pigments or stabilizers used. This product does not contain reportable hazardous ingredients as defined by OSHA Hazard Communication Standard.

### 3. Hazards identification

No particular hazards known.

3.1. Health Hazard Data

3.1.1 Effects of a Single Overexposure

	Swallowing	:	non-relevant		
	Skin absorption	:	non-relevant		
	Inhalation	:	non-relevant		
	Skin contact	:	exposure is not expected to cause adverse health effects		
	Eye contact	:	non-relevant		
	3.1.2 Effects Of A F	Repeated	None currently known		
	3.1.3 Medical Con	ditions Ag	None currently known		
3.1.4 Other Effects of Overexposure -				None currently known	





for Palram Polycarbonate Products

Update: August 2016

# [Page 2 of 7]

# This document covers safety data concerning the following products:

PALSUN® BASIC SERIES PALSUN® UV SERIES PALSUN® SPECIALTY SHEET SERIES PALSUN CS® PALGARD™ SUNTUF® SUNTUF® PLUS SUNSKY® SUNOPAK™ **DYNAGLAS®** SUNLITE® SUNLITE® PLUS THERMAGLAS® SUNPAL® SUNGLAZE™ PALTILE™ SUNTOP® SUNSPHERE™ EDGELOCK™ CHAIR-MAT

# Palram Industries Ltd.

Ramat Yohanan 30035, Israel Tel: +972.4.8459.900 Fax: +972.4.8444.012 E-mail: palram@palram.com Web: www.palram.com

### 4. First Aid Measures

In general handling the material will not cause accidents.

### 4.1. Inhalation

Route of entry – inhalation: No

If exposed to combustion fumes in high concentration - bring victim to fresh air. Medical attention needed.

#### 4.2. Ingestion

Route of entry - ingestion: No

#### 4.3. Skin Contact

Burns resulting from accidental contact with molten material must be flushed immediately with cold water.

Do not remove the polymer from the skin. Do not use solvent for removal. Medical attention needed.

### 4.4. Skin Absorption

Route of entry – skin: No

### 4.5. Eye Contact

Like any foreign body, can cause mechanical irritation. Remove contact lenses at once. Immediately flush eyes well with copious quantities of water or normal saline for at least 20-30 minutes. If irritation persists, consult physician.

### 4.6. Notes For Physician

There are no specific notes.

### 5. Fire Fighting Measures

This material burns with difficulty and generally requires a continuous external flame source to sustain combustion. Without flashover fire conditions it will tend to extinguish it. When forced to burn it will produce a sooty fire.

Main products of combustion are carbon dioxide and carbon monoxide. Some flame-retardant grades will evolve trace quantities of hydrogen bromide on combustion.

Combustion products have been found in independent tests to be essentially non-corrosive.

#### 5.1. Extinguishing Media

Water spray or foam CO<sub>2</sub> is less recommended due to lack of cooling capacity.

5.2. Extinguishing Media to Avoid

No information currently available.

### 5.3. Special Fire Fighting Procedures

Personnel without suitable respiratory apparatus should leave the affected area to prevent exposure to toxic or combustible gases.

#### 5.4. Special Protective Equipment for Firefighters

Positive-pressure self-contained breathing apparatus, protective closing, gas mask approved for acid vapors.

5.5. Unusual Fire and Explosion Hazards

Hazardous combustion products may include intense heat, dense black smoke, carbon dioxide, carbon monoxide and hydrocarbon fragments. Combustion products/processing fumes may include trace levels of phenol, alkylphenols, and diarylcarbonates.

Soot emitted when PC is forced to burn may obscure visibility.

During combustion the base resin does not produce hydrogen cyanide, phosgene, acrolein, hydrogen chloride or sulfur dioxide.

The material is not sensitive to static discharge.

Static electricity discharge sparks possible at handling – avoid vicinity of static discharge sensitive materials.

# 6. Accidental Release Measures

No special precautions and no personal protective equipment needed. Collect mechanically for disposal.





for Palram Polycarbonate Products

Update: August 2016

# [Page 3 of 7]

# This document covers safety data concerning the following products:

PALSUN® BASIC SERIES PALSUN® UV SERIES PALSUN® SPECIALTY SHEET SERIES PALSUN CS® PALGARD™ SUNTUF® SUNTUF® PLUS **SUNSKY®** SUNOPAK™ **DYNAGLAS®** SUNLITE® SUNLITE® PLUS THERMAGLAS® SUNPAL® SUNGLAZE™ PALTILE™ SUNTOP® SUNSPHERE™ EDGELOCK™ CHAIR-MAT

### Palram Industries Ltd.

Ramat Yohanan 30035, Israel Tel: +972.4.8459.900 Fax: +972.4.8444.012 E-mail: palram@palram.com Web: www.palram.com

# 7. Handling and Storage

### 7.1. Handling

### General handling precautions

Avoid mechanical contact with eyes. Use good industrial hygiene practices. Provide adequate ventilation. Secondary operations such as grinding, sanding or sawing may produce a dust explosion hazard. Use aggressive housekeeping activities to prevent dust accumulation; employ bonding, grounding, venting and explosion relief provisions in accordance with accepted engineering practices.

#### Ventilation

General (mechanical) room ventilation is expected to be satisfactory where this product is stored and handled.

### Other precautions

No explosion hazard. In the event of fire, cool and overlap product with water. The material is not sensitive to static discharge. Static electricity discharge sparks possible during handling. Avoid contact or vicinity of flammable materials.

### 7.2. Storage

Store in a cool shady area. No special technical protective measures required.

# 8. Exposure Controls / Personal Protection

#### 8.1. EXPOSURE LIMITS

No occupational exposure limits established by OSHA, ACGIH, or NIOSH.

# 8.2. PERSONAL PROTECTION

Respiratory protection	:	No special protection needed
Hand protection / protection gloves	:	No special protection needed
Eye protection	:	No special protection needed
Other protective equipment/measures	:	No special protection needed

### 9. Physical Properties

Appearance	:	Flat or corrugated plastic sheets
Physical State	:	Solid
Color	:	Clear or colored
Odor	:	None
Density	:	1.2 gr/cm <sup>3</sup>
Change In State	:	T_=140-150°C, DSC according to ASTM D 792
Boiling Point, 760 Hg	:	None
Viscosity	:	Not relevant
Solubility In Water	:	None
Ph Value	:	Not relevant
Flash Point	:	>450°c ASTM D 1929
Autoignition Temp.	:	>650°c ASTM D 1921
Flammability Limit	:	None
Explosion Limits	:	None
Evaporation Rate	:	Not relevant
Percent Volatiles	:	Not relevant





# Product Safety Data Sheet (PSDS)

for Palram Polycarbonate Products

[Page 4 of 7]	10. Stability and Reactivity		
This document covers safety	10.1. Stability		
data concerning the following	Stable.		
products:	Conditions to avoid Excessive heat, or open flame.		
PALSUN® BASIC SERIES	Incompatible materials		
PALSUN® UV SERIES	Oxidizing agents or strong mineral acids can cause reaction.		
PALSUN <sup>®</sup> SPECIALTY SHEET SERIES	Thermal decomposition		
PALSUN CS®	Caused by fire or overheating during improper processing. Fumes damaging to health may be released.		
PALGARD™	Hazardous decomposition products		
SUNTUF®	Carbon monoxide (CO) - is highly toxic if inhaled, present in combustion fumes of		
SUNTUF <sup>®</sup> PLUS	all organic materials; Carbon dioxide (CO <sub>2</sub> ) - in sufficient concentrations can act as an asphyxiant,		
SUNSKY®	present in combustion fumes		
	of all organic materials;		
SUNOPAK™	10.2. Reactivity		
DYNAGLAS®	Hazardous polymerization : Will not occur Hazardous reactions : None.		
SUNLITE®	Hazardous reactions : None.		
SUNLITE® PLUS	11. Toxicological Information		
THERMAGLAS®	Independent testing and many years of experience confirm that this material has very low toxicity. The International Agency for Research on Cancer does not list this material as a confirmed or		
SUNPAL®	suspected carcinogen. In rats an acute $LD_{50} > 5$ gr/Kg of body weight. Industrial hygiene studies		
SUNGLAZE™	have shown that under normal and expected conditions of use of PC materials, exposures are well below applicable limits.		
PALTILE™	11.1. Acute Toxicological Information		
SUNTOP®	Acute oral toxicity :Oral $LD_{s_0}$ (rat) > 5g/kg, estimated.		
SUNSPHERE™	Acute vapor exposure : processing fumes from similar products are not considered toxic. In acute inhalation tests, laboratory rats		
EDGELOCK™	were exposed to processing fumes at concentrations		
CHAIR-MAT	exaggerating those that would likely occur in workplace situations. No death or signs of toxicity, except transient irritancy in some cases, were noted during the 6-hour		

Palram Industries Ltd. Ramat Yohanan 30035, Israel

Tel: +972.4.8459.900 Fax: +972.4.8444.012 E-mail: palram@palram.com Web: www.palram.com

Acute oral toxicity		:Oral LD <sub>50</sub>	$_{\rm 0}$ (rat) > 5g/kg, estimated.
Acute vapor exposu	re	:	processing fumes from similar products are not considered toxic. In acute inhalation tests, laboratory rats were exposed to processing fumes at concentrations exaggerating those that would likely occur in workplace situations. No death or signs of toxicity, except transient irritancy in some cases, were noted during the 6-hour fume exposure tests. There were no distinct or consistent treatment related tissue or organ changes noted in gross necropsies.
Primary skin irritation	٦	:	product not considered primary skin irritant. Draize Skin Primary Irritation Score (rabbit) for similar products, in finely divided form, for a 24-hour exposure is 0.
Eye irritation		:	product not considered primary irritant. When similar products, in finely divided form, were placed into the eyes of rabbits, slight transient redness or discharge occurred – consistent with the expected slightly abrasive nature of product.
Sensitization		:	Not expected to be a skin sensitized based on results of Modified Buehler Guinea Pig Sensitization Test from similar products. Dermal $LD_{so}$ (rabbit) > 2g/kg, estimate.
Chronic effects		:	in sub-chronic testing, the base resin was considered physiologically inert when fed to rats for 8 weeks at a dietary level of 6%.
Carcinogenicity	- NTP - IARC - OSHA	:	not tested not listed not regulated





for Palram Polycarbonate Products

Update: August 2016

# [Page 5 of 7]

# This document covers safety data concerning the following products:

PALSUN® BASIC SERIES PALSUN® UV SERIES PALSUN® SPECIALTY SHEET SERIES PALSUN CS® PALGARD™ SUNTUF® SUNTUF® PLUS **SUNSKY®** SUNOPAK™ **DYNAGLAS®** SUNLITE® SUNLITE® PLUS THERMAGLAS® SUNPAL® SUNGLAZE™ PALTILE™ SUNTOP® SUNSPHERE™ EDGELOCK™ CHAIR-MAT

# Palram Industries Ltd.

Ramat Yohanan 30035, Israel Tel: +972.4.8459.900 Fax: +972.4.8444.012 E-mail: palram@palram.com Web: www.palram.com

### 11.2. Other Toxicological Information

No known toxicological effects with normal use. For heating see section 10.

### 11.3. Additional Information

No additional toxicity information currently available.

# 12. Ecological Information

### 12.1. Persistence and Degradability

Detailed studies have not been conducted concerning the environmental fate of the product. According to present knowledge no unfavorable ecological effects are to be expected. Not generally hazardous to water. Insoluble in water, non-toxic solid.

Mobility	
Persistence and biodegradability	
Bioaccumulative potential	

- No information currently available
- Biodegradation period tens of years.
- No information currently available.

### 12.2. Environmental Riscs

No hazard expectation to terrestrial or aquatic flora and fauna.

Ecotoxicity	$: LD_{50}$ (rats) > 5 gr/kg
	: IC <sub>50</sub> (bacterial inhibition) - no data available
Aquatic toxicity	: LC <sub>50</sub> (daphnia magna) - no data available
	: $LC_{50}^{\circ}$ (fathead minnow – fish) - no data available

### 12.3. Other Information

All available ecological data have been taken into account for the development of the hazard and precautionary information contained in this safety data.

# 13. Disposal Considerations

The product is not considered hazardous under current EPA hazardous waste regulations. Recycling is the preferred method of disposal.

Alternatively, the product may be disposed of in an approved landfill. Incineration in accordance with federal, state and local regulations – collected processing fume condensates and incinerator ash should be tested to determine waste classification. All wastes should be evaluated in conjunction with applicable solid and hazardous waste regulations, Toxicity Characteristic Leaching Procedures (TCLP), and disposed of as appropriate. This product does not contain any cadmium or other heavy metal pigments or stabilizers.

# It is the user's responsibility to dispose of all wastes in accordance with all national and local regulations at properly permitted or authorized facilities.

### 14. Transport Information

I		
DOT PSN Code	:	ZZZ
DOT Proper Shipping Name	:	Not regulated by this mode of transportation
IMO PSN Code	:	ZZZ
IMO Proper Shipping Name	:	Not regulated by this mode of transportation
IATA PSN Code	:	ZZZ
IATA Proper Shipping Name	:	Not regulated by this mode of transportation
AFI PSN Code	:	ZZZ
AFI Proper Shipping Name	:	Not regulated by this mode of transportation
Additional transportation data	:	Not currently regulated under Department of
		Transportation regulations
Labeling	:	No labeling is required in accordance with the EEC directives
Placarding	:	No placarding is required in accordance with the EEC directives
Special transport requirements	:	None
Packaging	:	Avoid dark-colored packaging to prevent heat distortion
The preduct is classified as a pe	~ I	be reader to react a tight in the reasoning of transport requilations

The product is classified as a non-hazardous material in the meaning of transport regulations.





for Palram Polycarbonate Products

# Update: August 2016

# [Page 6 of 7]

# This document covers safety data concerning the following products:

PALSUN® BASIC SERIES PALSUN® UV SERIES PALSUN® SPECIALTY SHEET SERIES PALSUN CS® PALGARD™ SUNTUF® SUNTUF® PLUS SUNSKY<sup>®</sup> SUNOPAK™ **DYNAGLAS®** SUNLITE® SUNLITE® PLUS THERMAGLAS® SUNPAL® SUNGLAZE™ PALTILE™ SUNTOP® SUNSPHERE™ EDGELOCK™ CHAIR-MAT

# Palram Industries Ltd.

Ramat Yohanan 30035, Israel Tel: +972.4.8459.900 Fax: +972.4.8444.012 E-mail: palram@palram.com Web: www.palram.com

# 15. Regulatory Information

With regards to dust formed as a consequence of mechanical treatments, the appropriate regulations value limits for fine dust must be observed: MAC value (fine dust) – 5mg/m<sup>3</sup>.

#### United States Federal Regulations US. Toxic Substances Control Act: Excluded: Article.

No substances are subject to TSCA 12(b) export notification requirements.

#### US. EPA CERCLA Hazardous Substances (40 CFR 302) Components: None

### SARA Section 311/312 Hazard Categories:

Non-hazardous under Section 311/312

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A) Components: None

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required Components: None

#### US. EPA Resource Conservation and Recovery Act (RCRA) Composite List of Hazardous Wastes and Appendix VIII Hazardous Constituents (40 CFR 261):

Under RCRA, it is the responsibility of the person who generates a solid waste, as defined in 40 CFR 261.2, to determine if that waste is a hazardous waste.

### State Right-To-Know Information

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections of the SDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

The concentrations reported below in units of parts per million (ppm) or parts per billion (ppb) are maximum values.

### Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists:

Weight Percent >=1% >=1%

<u>Components</u>	
Bisphenol A Polycarbonate	
Bisphenol A Polycarbonate	

<u>CAS-No.</u> 25971-63-5 CAS# is a trade secret

### Massachusetts Right to Know Extraordinarily Hazardous Substance List:

Weight PercentComponentsCAS-No.<=3 ppm</td>Methylene Chloride75-09-2

### California Prop. 65:

Warning! This product contains chemical(s) known to the State of California to be Carcinogenic. Female reproductive toxin.

<u>Weight Percent</u>	<u>Components</u>	<u>CAS-No.</u>
<=3 ppm	Methylene Chloride	75-09-2
Trace element	Bisphenol A	80-05-7

Palram Americas, Inc. polycarbonate sheet products as sold contain BPA at concentrations below which would require the need for a warning under the Act.





for Palram Polycarbonate Products

# Update: August 2016

# [Page 7 of 7]

# This document covers safety data concerning the following products:

PALSUN® BASIC SERIES PALSUN® UV SERIES PALSUN® SPECIALTY SHEET SERIES PALSUN CS® PALGARD™ SUNTUF® SUNTUF® PLUS **SUNSKY®** SUNOPAK™ **DYNAGLAS®** SUNLITE® SUNLITE® PLUS THERMAGLAS® SUNPAL® SUNGLAZE™ PALTILE™ SUNTOP® SUNSPHERE™ EDGELOCK™ CHAIR-MAT

**Palram Industries Ltd.** Ramat Yohanan 30035, Israel

Tel: +972.4.8459.900 Fax: +972.4.8444.012 E-mail: palram@palram.com Web: www.palram.com

### CFATS (Chemical Facility Anti-Terrorism Standards) Chemicals

To the best of our knowledge, this product does not contain Appendix A Chemicals of Interest (COI), at or above the Screening Threshold Quantity (STQ), as defined by the Department of Homeland Security Chemical Facility Anti-terrorism Standard (CFATS, 6 CFR Part 27. Based on information provided by our suppliers, this product is considered "DRC Conflict Free" as defined by the SEC Conflict Minerals Final Rule (Release No. 34-67716; File No. S7-40-10; Date: 2012-08-22).

# 16. Other Information

#### **Recommended Uses And Restrictions**

Please consult the relevant product and/or application information for this product.

### Further Information

Additional information on this product may be obtained by calling your PALRAM Sales or Customer Service Contact.

#### Disclaimer:

Palram believes that the information and recommendations contained (including data and statements) in this PSDS are accurate as of the date hereof. This PSDS is based on information that is believed to be reliable, but may be subject to change as new information becomes available. Since it is not possible to anticipate all conditions of use, additional safety precautions may be required. The information is neither designed nor recommended for any other use than as safety data, or for use by any other person than the direct user and not for compliance with other laws. Palram does not warrant the suitability for use of this PSDS for any other material or product not specifically identified herein, nor the accuracy or authenticity of this PSDS unless it has been obtained directly from Palram.

Since the conditions and methods of use of its products are beyond Palram's control, Palram expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information and each user is responsible for making its own determination as to the safe and proper handling of this material in its own particular use of this material.

Modification of this PSDS, unless specifically authorized by PALRAM, is strictly prohibited. No Warranty Of Fitness For Any Particular Purpose, Warranty Of Merchantability, Or Any Other Warranty, Expressed Or Implied, Is Made Concerning The Information Provided Herein.

