

Polycarbonate Profiles for SUNLITE® Multiwall Sheets




Туре	Drawing	Length	Catalog Number
H Channel for 4mm Sheets		12′	95565
(Profile HP 4)	45.5	24'	95567
H Channel for 6mm Sheets (Profile HP 6)		12′	95568
	45.5	24'	95569
H Channel for 8mm Sheets (Profile HP 8)	58	12′	95570
	46	24'	95011
H Channel for 10mm Sheets (Profile HP 10)	75.5	12′	95571
		24′	95572
H Channel for 16mm Sheets	17	12′	92714
(Profile HP 16)	109	24′	93016
Press-Fit Sheet Connector	51	12′	Cap: 99189 Base: 99185
for 6mm Sheets (Snap HCX Flat)	66	24'	Cap: 99191 Base: 99186
Press-Fit Sheet Connector	51 =	12′	Cap: 99187 Base: 99185
for 8mm & 10mm Sheets (Snap HCX Flat)	66	24'	Cap: 99188 Base: 99186
Press-Fit Sheet Connector	76	12′	Cap: 99178 Base: 99180
for 16mm Sheets (Snap HCX Flat)	60	24'	Cap: 99179 Base: 99181
Universal Press-Fit Sheet Connector	58 4	12′	Cap: 99183 Base: 99180
for 8mm & 10mm Sheets (Universal Snap HCX Capped)	60	24'	Cap: 99184 Base: 99181


Туре	Drawing	Length	Catalog Number
Ridge Cap Connector for 6mm Sheets (Ridge RP 6)	Available on special order only	12′	95806
	130	24′	95807
Ridge Cap Connector for 8mm & 10mm Sheets (Ridge RP 8 & RP 10)	Available on special order only	12′	93011
	130	24'	92920
Ridge Cap Connector for 16mm Sheets (Ridge RP 16)	Available on special order only	12'	95808
	130	24'	95810
U Channel for 4mm Sheets (Profile UP 4)	24.5 1 4.5	12′	95575
		24′	95576
U Channel for 6mm Sheets (Profile UP 6)	6.5	12′	95554
		24′	95014
U Channel for 8mm Sheets (Profile UP 8)	8.5 24	12′	94570
		24′	94571
U Channel for 10mm Sheets (Profile UP 10)	10.5	12′	92715
	_ 25	24′	92750
U Channel for 16mm Sheets (Profile UP 16)	20.5	12′	92730


Sealing Tapes


Туре	Drawing	Length	Suitable Sheets	Width	Catalog Number
Breather Tape		110' (33.52mm)	0.156" / 0.25" / 0.312" (4mm / 6mm / 8mm)	1" (25mm)	92696
			0.375" / 0.625" (10mm / 16mm)	1.5" (38mm)	92697
Solid Tape		160' (48.77mm)	0.156" / 0.25" / 0.312" (4mm / 6mm / 8mm)	1" (25mm)	92698
			0.375" / 0.625" (10mm / 16mm)	1.5" (38mm)	92699

Typical Application of Polycarbonate Profiles









All marketing materials and any content therewith provided by Palram® are provided solely for the purpose of supporting and enhancing the marketing of Palram® products. These materials are protected by Palram's intellectual property rights and may not be used for any other purpose or in connection with the sale of products of any other manufacturer. These materials may not be transferred to or used by any third party without prior permission of Palram.



PALRAM H.Q.

Tel: +972.4.8459.900 Fax: +972.4.8444.012 palram@palram.com www.palram.com

PALRAM EUROPE LTD.

Tel: +44.1302.380777 Fax: +44.1302.380788 sales.europe@palram.com www.palram.com

PALRAM AMERICAS

Tel: 610.285.9918 Fax: 610.285.9928 palramamericas@palram.com www.palramamericas.com





In as much as Palram Industries has no control over the use to which others may put the material, it does not guarantee that the same results as those described herein will be obtained. Each user of the material should make his own tests to determine the material's suitability for his own particular use. Statements concerning possible or suggested uses of the materials described herein are not to be construed as constituting a license under any Palram Industries patent covering such use or as recommendations for use of such materials in the infringement of any patent. Palram Industries or its distributors cannot be held responsible for any losses incurred through incorrect installation of the material. In accordance with our company policy of continual product development you are advised to observe the long the part of the material. check with your local Palram Industries supplier to ensure that you have obtained the most up to date information











